

JHARKHAND TOURISM DEVELOPMENT CORPORATION LIMITED, (GOVERNMENT OF JHARKHAND)

REQUEST FOR PROPOSAL (RFP) FOR

SELECTION OF AGENCY FOR SUPPLY, INSTALLATION, INTEGRATION AND COMMISSIONING OF IP BASED WIRELESS CCTV CAMERAS AND SURVEILLANCE SYSTEM AT VARIOUS UNITS OF JTDCL- $2^{\rm nd}$ Call

Ref. No. :- 1186/2023 Ranchi/Dated:- 07/11/2023



Jharkhand Tourism Development Corporation Limited

5, Mahatma Gandhi Marg, Ranchi, Jharkhand - 834001 Phone No: +(91)-651-2331828 & 2331643 Fax: +(91)-651-2331828

E-MAIL: jtdcltd@gmail.com

Visit us on www.tourism.jharkhand.gov.in

TenderSchedule



Directorate of Tourism, Government of Jharkhand

MDI Building, 2nd floor, HEC Campus, Dhurwa, Ranchi - 04
Tele Fax: 0651-2331828
Email: dirjharkhandtourism@gmail.com/jtdcltd@gmail.com

TENDERNOTICE

Ref.No.:-1186/2023 Ranchi/Dated:- 07/11/2023

SELECTION OF AGENCY FOR SUPPLY, INSTALLATION, INTEGRATION AND COMMISSIONING OF IP BASED WIRELESS CCTV CAMERAS AND SURVEILLANCE SYSTEMAT VARIOUSUNITS OF JTDCL-2nd Call

The Jharkhand Tourism Development Corporation Limited (JTDCL) an undertaking of Government of Jharkhand intends to select agency for **Supply, Installation, Integration and Commissioning of IP based wireless CCTV cameras and surveillance system at various units of JTDCL,** therefore invites interested agencies to submit their Bids.

The Application Due Date is on 01/12/2023 at 11:00 hours.

A pre-application conference will be held online on **24/11/2023** by 15:30Hours. The meeting link will be uploaded in our website.

All subsequent notifications, changes and amendments will be posted only on the website www.tourism.jharkhand.gov.in. Tender/Bid Document Fee is Rs.2,360/-(Two Thousand Three Hundred and Sixty only) inclusive of GST (Not Refundable).

JTDCL reserves the right to cancel this invitation and/or invite fresh Applications with or without amendments to this invitation, without liability or any obligation for such invitation and without assigning any reason.

Director

1. SECTION1:-INTRODUCTION

Background

Jharkhand Tourism Development Corporation Limited also referred to as the "JTDCL" or "Authority", is a nodal agency under Department of Tourism ("DoT"), Government of Jharkhand, with a mandate to develop tourism infrastructure in the State of Jharkhand. JTDCL is operating various hotels and tourist complexes in the State of Jharkhand for providing residential accommodation to the tourists.

With an endeavor for promotion of tourism and ensuring safety and security of tourists/guests of Jharkhand, Jharkhand Tourism Development Corporation Limited (JTDCL) intends to issue this Request for Proposals (RFP) to select a reputed agency for supply, installation, integration and commissioning of IP based wireless CCTV cameras and surveillance system at various units of JTDCL. The control room will be in JTDCL Headquarters Ranchi. The Selected bidder will also be responsible for the Annual Maintenance of the CCTVs supplied. The selected agency will also synchronize the CCTV that are already existing in some of the units of JTDCL.

Pursuant there to ,the JTDCL invites Bids from Agencies for selection of agency (the "Bidder") as specified in this Request for Proposal (the "RFP") document for the Services.

RFP document is available at the Directorate of Tourism/DOT website i.e. www.tourism.jharkhand.gov.in. Interested parties may download the RFP documents from the website and submit their Proposals.

Earnest Money Deposit (EMD) cum Performance Security amounting toRs.1,00,000/-(Rupees One Lakh only) in the form of a Demand Draft in favour of "Managing Director, Jharkhand Tourism Development Corporation Limited", of anyNationalized/scheduledbank,payableat"Ranchi"alongwithbiddocuments valid for a period of 90 (ninety) days.

The scope of services to be provided by the Agency are general and the list is not exhaustive i.e. does not mention the entire incidental services required to be carried out. The services shall be provided all in accordance with true intent and meaning, regardless of whether the same may or may not be particularly described, provided that the same can be reasonably inferred there from. The scope of services shall be governed by the provisions of the RFP and LOA (work order). There may be several incidental services & assignments, which are not mentioned herein but will be necessary to complete the work in all respects. The scope of services shall be as stated in **Annexure-1**.

The statements and explanations contained in this RFP are intended to provide a proper understanding to the Bidders about the subject matter of this RFP and should not be construed or interpreted as limiting in any way or manner the scope of services and obligations of the Agency set forth in RFP or JTDCL's rights to amend, alter, RFP-CCTVCAMERA

change, supplement or clarify the scope of work, the Right to be awarded pursuant to this RFP or the terms there of or herein contained. Consequently any omissions,

conflicts or contradictions in the Bidding Documents including this RFP are to be noted, interpreted and applied appropriately to give effect to this intent, and no claims on that account shall be entertained by JTDCL.

JTDCL shall receive Proposals pursuant to this RFP in accordance with the terms set forth in this RFP and any addenda issued subsequent to this RFP (collectively the "Bidding Documents"), as modified, altered, amended and clarified from time to time by JTDCL, and all Proposals shall be prepared and submitted in accordance with such terms.

Brief Description of Selection Process

JTDCL has adopted a two stage (Technical &Financial)selection process (referred toas the "Selection Process") for identifying a suitable Agency. JTDCL invites eligible Bidders to submit their Proposals in hard copy to be delivered by Courier/Registered Post/Speed Post/Hand delivery at JTDCL office up to 01/12/2023 11:00 hrs in accordance with the terms of this RFP document.

Contact Information & Address for communication:

To

The Managing Director

Jharkhand Tourism Development Corporation Limited

5, Mahatma Gandhi Marg, Ranchi, Jharkhand – 834001.

Phone No:+(91)-651-2331828&2331643Fax:+(91)-651-2331828

E-MAIL:jtdcltd@gmail.com

Visitusonwww.tourism.jharkhand.gov.in

During this Bid Stage, Bidders are invited to carry out at their cost ,such studies as may be required for submitting their respective Proposals for award of the Right.

The Selection Process shall be governed by and construed in accordance with the laws of India and the Courts at Ranchi shall have exclusive jurisdiction overall disputes arising under, pursuant to and/or in connection with the Selection Process.

Schedule of Selection Process

JTDCL shall endeavor to adhere to the following schedule:

Sl No	Event Description	Date
1	Pre-Bid Queries Submission	23/11/2023 by 15:00Hours
2	Online Pre-Bid Conference	24/11/2023 by 15:30 Hours
3	Bid Due Date	01/12/2023 by11:00Hours at the office of Jhaarkhand Tourism Development Corporation

		Limited, 5, Mahatma Gandhi Marg, Main Road, Ranchi-834001	
4	Bid opening Conference	01/12/2023 at12:30 Hours or thereafter at the	
		office of Directorate of Tourism, 2 nd floor, MDI	
		Building, HEC Campus, Dhurwa, Ranchi-	
		834004.	
5	Bid Validity period	180daysfromtheBidDueDate	
	Tender/Bid Document Fee	Rs.2,360/-(Rupees Two Thousand Three	
6		Hundred and Sixty Only) inclusive of	
		GST(Not Refundable) in shape of DD in	
		favour of Managing Director, Jharkhand	
		Tourism Development	
		Corporation Limited ,payable at Ranchi	
7	Earnest Money Deposit	Rs.1,00,000/- (Rs. One Lakh only)in shape of DD	
		in favour of Managing Director, Jharkhand	
		Tourism Development Corporation	
		Limited payable at Ranchi	

2. SECTION2:-INSTRUCTIONSTOBIDDERS

Eligible Bidders

Inordertoparticipate in the Selection Process, the Bidder's should be a single business entity (the "Single Business Entity"). The term Bidder used herein would apply to a Single Business Entity.

A Single Business Entity shall mean a company incorporated under Companies Act, 1956/2013 or a sole proprietorship firm registered under the ProprietorshipAct,1908 or a partnership firm registered under the Indian Partnership Act, 1932 or a Limited Liability Partnership Firm registered under Limited Liability Partnership Act, 2008.

Note:

- 1. NoConsortiumorJointVentureisallowedtoparticipateintheSelectionProcess.
- 2. If the Bidder is:
 - i. A company should furnish copy of the certificate of incorporation and memorandum of association as a proof of identity.
 - ii. A sole proprietorship firm, and a Limited Liability Partnership firm should furnish copy of the registration certificate ,GST, PAN and IT returns for the last three financial years (FY 2020-21, 2021-22 and 2022-23) preceding the Proposal Due Date as a proof of identity.
 - iii. A registered partnership firm, it should furnish a copy of the IT returns for the last three financial years (FY 2020-21, 2021-22 and 2022-23) preceding the Proposal Due Date copy of the registration certificate under the registrar of firms and a copy of the partnership deed executed between the partners as a Proof of identity.

A Bidder is required to fulfill the criteria specified below. Any Bidder who does not meet the criteria set out below shall be disqualified.

- a) The Bidder must have achieved an **Average Annual Turnover of Rupees 50,00,000/-(FiftyLakhsOnly)**duringthepreceding3(three)years(i.e.FY 2020-21, 2021-22 and 2022-23). To calculate the average turnover, the total turnover achieved by the Bidder during last 3 years shall be divided by 3. Copy of Audited Balance Sheet and Profit and Loss account duly sealed and signed by auditor/CA and Duly sealed and signed Certificate from the CA specifying the average turnover of last 3 financial years(i.e. FY2020- 21, 2021-22 and 2022-23) should be provided.
- b) The Applicant should demonstrate having an experience of 03 projects of IP CCTV Cameras project installed/maintained in a State & National Level of any Government Department/Corporation/PSU of minimum value of 10 lakhs each in the last 5(five) Financial years preceding the Application Due Date (the "Qualification Criteria"). Relevant Work Order/Agreement Copy must be submitted along with the bid. Any Applicant who does not meet the Qualification Criteria shall be disqualified.

Note:

- i. Experience of parent/subsidiary/associate Company (ies) of the Applicant would not be considered for the purpose of evaluation.
- ii. Documentary proofs to be submitted by the Applicants are:
 - a) Provide details of experience of the Applicant.
 - b) Copy of Work Order/Completion Certificate/Satisfactory Certificate from the respective Client.
- c) The Bidder must be registered in India.(Supporting documents must be furnished) should have **GST and PAN** Registration.
- d) Firms shall be single entity. **Consortium/Joint Venture are not allowed** to participate in the selection process.

Any Agency which has been barred by the Central Government/Government of Jharkhand or any entity controlled by them, from participating in any project/provision of service and the bar subsists as on the Proposal Due Date, shall not be eligible to submit a Proposal.

A Bidder should, in the last 3 (three) years, have neither failed to perform on any contract as evidenced by imposition of a penalty by an arbitral or judicial authority or a judicial pronouncement or arbitration award against the Bidder, nor been expelled from any project/provision of service or contract nor have had any contract terminated for breach by such Bidder.

The Bidder should submit a Power of Attorney as per the format enclosed as **Appendix-VI**, authorizing the signatory of the proposal to commit the Bidder. The Proposals must be properly signed by the authorized representative(the"**Authorized Representative**")as detailed below:

- (a) In case the sole proprietor himself is signing the Proposals, the Power of Attorney is not required to be submitted. However, if the Proposals are signed by any other person other than the sole proprietor or a duly authorized person, the Power of Attorney is required to be submitted in the format at Appendix-VI
- **(b)** By a partner or a duly authorized person holding the Power of Attorney ,in case of a limited liability partnership; or a partnership firm or
- (c) By a duly authorized person holding the Power of Attorney, in case of a Company.

Number of Proposals

Each Bidder shall submit only one (1) Proposal, in response to this RFP. Any Bidder who submits or participates in more than one Proposal shall be disqualified.

Proposal Preparation Cost

The Bidder shall be responsible for all costs associated with the preparation of its Proposal and its participation in the Selection Process. JTDCL will not be responsible or in any way liable for such costs ,regardless of the conduct or outcome of the selection process.

Right to Accept any Proposal and to Reject any or all Proposals

JTDCL reserves the right to accept or reject any Proposal and to annul the Selection Process and reject all Proposals at any time, without any liability or any obligation for such acceptance, rejection or annulment, without assigning any reasons thereof.

JTDCL reserves the right to verify all statements ,information and documents submitted by the Bidder in response to the RFP. Failure of JTDCL to undertake such

verification shall not relieve the Bidder of its obligations or liabilities hereunder nor will it affect any rights of JTDCL there under.

ConflictofInterest

A Bidder shall not have a conflict of interest that may affect the Selection Processor the Services (the "Conflict of Interest"). Any Bidder found to have a Conflict of Interest shall be disqualified. In the event of disqualification, JTDCL shall forfeit and appropriate the EMD as mutually agreed genuine pre-estimated compensation and damages payable to JTDCL for, interalia, the time, cost and effort of JTDCL including consideration of such Bidder's Proposal, without prejudice to any other right or remedy that may be available to JTDCL hereunder or otherwise.

Without limiting the generality of the above, a Bidder shall be deemed to have a conflict of Interest affecting the selection process if:

- a) A constituent of such Bidder is also a constituent of another Bidder; or
- b) such Bidder has the same legal representative for purposes of this Proposal as any other Bidder; or
- c) such Bidder has a relationship with another Bidder, directly or through common third parties, that puts them in a position to have access to each other's information about, or to influence the Proposal of either or each of the other Bidder.

Clarifications

Bidders requiring any clarification on the RFP may notify JTDCL through e- mail to jtdcltd@gmail.com before 1 day of pre-bid meeting. The subject line for communication must clearly bear the following:

Queries/RequestforAdditionalInformation:RFPfor"SELECTIONOFANAGENCY FOR SUPPLY, INSTALLATION, INTEGRATION AND COMMISSIONING OF IP BASEDWIRELESSCCTVCAMERASANDSURVEILLANCESYSTEMAT VARIOUSUNITSOF JTDCL".

The responses will be uploaded in the Website by JTDCL without identifying the source of the enquiry. However, JTDCL reserves the right not to respond to any question or provide any clarification, in its sole discretion, and nothing in this Clause shall be taken or read as compelling or requiring JTDCL to respond to any question or to provide any clarification.

All clarifications and interpretations issued by JTDCL shall be deemed to be part of the Bidding Documents. Verbal clarifications and information given by JTDCL or its employees or representatives shall not in any way or manner be binding on JTDCL.

Amendments to RFP

At any time prior to the Proposal Due Date, JTDCL may, for any reason, whether at its own initiative or in response to clarifications requested by a Bidder ,amend the RFP by the issuance of Corrigendum/Addenda in the Website. Any Corrigendum/Addenda issued would be published in the Website(s)only and the same shall be binding on the Bidders.

In order to afford Bidders reasonable time to take the Corrigendum/Addenda into account, or for any other reason, JTDCL may, at its discretion, extend the Proposal Due Date.

Payment Schedule

Agency will quote Service Fee in financial bid and selection will be as per RFP Clause.

The Authority shall pay the selected bidder as the Service Fee towards SUPPLY, INSTALLATION, INTEGRATION AND COMMISSIONING OF IP BASED WIRELESS CCTV CAMERAS AND SURVEILLANCE SYSTEM AT VARIOUS UNITS OF JTDCL as per the payment milestones provided below. Payments to the selected agency shall be released upon submission of sufficient proof as per the milestones achieved.

	Payment Milestones				
SLNo.	Description	Percentage of Payment to be Released			
1	Supply, installation, integration and commissioning	60%			
2	One Month after Successful Functioning/Operation	30%			
3	One Year after Successful Functioning/Operation	10%			
4	Annual Maintenance for 5 years	As per annual cost quoted by the bidder			

Damages and Losses

The agency will be responsible for all liabilities, life, losses, claims, damages, costs and expenses that may be incurred by or asserted against any such party / authority or any liability accrued by the agency for the assignment. Agency will be responsible for cost incurred during installation and removal of all materials/items used during LoA period.

Availability of Key Personnel

The Applicant shall provide the proposed Key Personnel with the requisite managerial/support staff ("Support Personnel") to ensure timely completion of the Services within the specified time schedule.

3. PREPARATIONANDSUBMISSIONOFPROPOSAL

Language and Currency

The Proposal and all related correspondence and documents shall be written in English language. Supporting documents and printed literature furnished by the Bidder with the Proposal may be in any other language provided that they are accompanied by an appropriate translation in English language. Supporting materials that are not translated into English may not be considered. For the purpose of interpretation and evaluation of the Proposal, the English language translation shall prevail.

Validity of Proposal

The Proposal shall be valid for a period not less than 180 (One Eighty and Twenty) days from the Proposal Due Date("Proposal Validity Period"), in the format set out in Appendix-I.JTDCL reserves the right to reject any Proposal that does not meet this requirement.

Prior to expiry of the Proposal Validity Period, JTDCL may request the Bidders to extend the period of validity for a specified additional period.

The Selected Bidder shall, where required, extend the validity of the Proposal till the date of completion of services as per scope of work.

EarnestMoneyDeposit

The Bidder shall furnish an Earnest Money Deposit of Rs. 1,00,000/- (Rupees One Lakh only) (the "Earnest Money Deposit" or "EMD") in the form of a Demand Draft issued by a Nationalized Bank or a Scheduled Bank in India, drawn in favour of "Managing Director, Jharkhand Tourism Development Corporation Limited," payable at "Ranchi" along with bid documents. JTDCL shall not be liable to pay any interest on the EMD so made and the same shall be interest free.

The EMD amount shall remain valid for a period of 90(ninety)daysfromthe Proposal Due Date, or beyond any period of extension subsequently as determined by JTDCL from time to time. The Proposal shall be summarily rejected if it is not accompanied by the EMD.

The EMD shall be returned to the unsuccessful Bidders after selection of the Selected Bidder. The EMD submitted by the Selected Bidder shall be retained as **Performance Security**. JTDCL shall not be liable to pay any interest on the **Performance Security** so made and the same shall be interest free. As per instruction of JTDCL, the selected bidder shall be required to extend the validity of the demand draft.

The EMD shall be forfeited, if the Bidder:

- furnishesanyinformationordocumentwhichismisleadingoruntrueinanymaterial respect;
- ii. engagesinacorruptpractice,fraudulentpractice,coercivepractice,undesirable practice or restrictive practice as specified; and

Bidder's Responsibility

It shall be deemed that prior to the submission of Proposal, the Bidder has:

- a) made a complete and careful examination of terms & conditions/requirements, and other information set forth in this RFP document;
- b) received all such relevant information as it has requested from JTDCL; and
- c) made a complete and careful examination of the various aspects of the Assignment.

JTDCL shall not be liable for any mistake or error or neglect by the Bidder in respect of the above.

Format and Signing of Proposal

Bidders would provide all the information as per this RFP in the specified format(s). JTDCL would evaluate only those Proposals that are received in the required format and complete in all respects. Incomplete and/or conditional Proposals shall be liable to rejection.

All the documents of the Proposal under this RFP shall be typed or written in indelible ink and signed by the authorized signatory of the Bidder who shall also initial each page. All the alterations, omissions, additions or any other amendments made to the Proposal shall be initialed by the person(s)signing the Proposal. The person signing the Proposal shall initial all the alterations, omissions, additions, or any other amendments made to the Proposal. The Proposals must be properly signed by the Authorized Signatory as detailed below:

- (a) by a duly authorized person holding the Power of Attorney, in case of a Company; or
- (b) by the proprietor or a duly authorized person holding the Power of Attorney, in case of a sole proprietary firm.

Submission of Proposals

The Agency shall be required to submit a Technical& Financial Bid in separate sealed envelopes put in a bigger sealed envelope super scribed as "REQUEST FOR PROPOSAL (RFP) FOR SELECTION OF AN AGENCY FOR SUPPLY, INSTALLATION, INTEGRATION AND AND AND SURVEILLANCE SYSTEM AT VARIOUS UNITS OF JTDCL".

Bidder should be submitted in hard copy to be delivered by Courier/Registered Post/Speed Post/Hand delivery at Jharkhand Tourism Development Corporation Limited office up to 01/12/2023 11:00 hrs on the Proposal Due Date as indicated. The documents accompanying the Proposal(s) submission shall include:

A. "Technical Proposal", consisting of the following:(Envelope-1)

- a. Letter of Proposal in the prescribed format at **Appendix-I**;
- b. Details of Bidder in the prescribed format at **Appendix-II**;
- **c.** Financial Capacity of the Bidder in the prescribed format at **Appendix–III**;

- d. Experience of the Bidder in the prescribed format at **Appendix–IV**.
- e. Self-declaration in the prescribed format at **Appendix–V** for not being black listed
- Power of Attorney for signing of Proposal in the prescribed format at Appendix—VI;
- g. In case of a company, copy of the Certificate of Incorporation, Copy of Memorandum and Articles of Association of the Bidder.
- h. In case of a sole proprietorship firm or a Limited Liability Partnership firm, it should furnish copy of either the GST or IT returns for the last three financially ears preceding the Proposal Due Date as a proof of identity.
- i. Incaseofaregisteredpartnershipfirm,itshouldfurnishacopyoftheITreturns for the last three financial years preceding the Proposal Due Date copy of the registration certificate under the registrar of firms and a copy of the partnership deed executed between the partners as a proof of identity.
- j. Copy of the Bidder's duly audited annual reports for the preceding 3 (three) Financial Years (Along with CA Certificate).

B. "Financial Proposal:-(Envelope-2)

a. The Financial Proposal in the prescribed format at **Appendix – VII and VII A** on the letter head of the Bidder and signed by the authorised signatory.

The Financial Proposal should specify the amount of **Service Fee and Annual Maintenance fee** exclusive of all applicable taxes of work required by the Agency for undertaking the Services. The Financial Proposal clearly indicating the total Service Fee and Annual Maintenance fee of work in both figures and words, and signed by the Agency's Authorized Representative .In the event of any difference between figures and words, the amount indicated in words shall prevail.

Bidders may note that JTDCL will not entertain any deviations to the RFP at the time of submission of the Proposal or thereafter. The Proposal to be submitted by the Bidders should have to be unconditional and unqualified and the Bidders would be deemed to have accepted the terms and conditions of the RFP. Any conditional Proposal shall be regarded as non-responsive and would be liable for rejection.

JTDCL reserves the right to seek original documents for verification of any of the documents or any other additional documents upon opening of the Bidding Documents.

Proposal DueDate

Proposals should be submitted in hard copy to be delivered by Courier/Registered Post/Speed Post/Hand delivery at Jharkhand Tourism Development Corporation Limited office upto 01/12/2023 11:00 hrs on the Proposal Due Date as indicated, in the manner and form as detailed in this RFP Document. Proposals submitted by either facsimile transmission or telex or e-mail will not be accepted.

JTDCL, at its sole discretion, may extend the Proposal Due Date by issuing an Addendum in accordance with the provisions of this RFP.

Late Proposals

Applications submitted after the Due Date shall not be entertained. Applications submitted by fax, telex, telegram or e-mail shall not be entertained and shall be rejected.

Modifications/Substitution/Withdrawal of Proposals

The Applicants will not allow Modifications/Substitution/Withdrawal of Applications after submission of application.

Withdrawal of a Proposal during the interval between the Proposal Due Date and expiration of the Proposal Validity Period will not be allowed.

Confidentiality

Information relating to the examination, clarification, evaluation and recommendation for the Bidders shall not be disclosed to any person who is not officially concerned withtheprocessorisnotaretainedprofessionaladvisoradvisingJTDCLinrelation to, or matters arising out of, or concerning the Selection Process. JTDCL will treat all information, submitted as part of the Proposal, in confidence and will require all those who have access to such material to treat the same in confidence. JTDCL may not divulge any such information unless it is directed to do so by any statutory entity that has the power under law to require its disclosure or is to enforce or assert any right or privilege of the statutory entity and/ or JTDCL.

4. SECTION3: EVALUATION OFPROPOSALS

Opening and Evaluation of Proposal

JTDCL shall open the Proposals on the date specified in Clause 1.3, in the presence of the Bidders who choose to attend.

JTDCL will examine and evaluate the Proposals in accordance with the provisions set out in this **Section 3.**

To facilitate evaluation of Proposals, JTDCL may, at its sole discretion, seek clarifications in writing from any Bidder regarding its Proposal.

Any information contained in the Proposal shall not in anyway be construed as binding on JTDCL, its agents, successors or assigns, but shall be binding against the Bidder if the Services are subsequently awarded to it under the Selection Process on the basis of such information.

Tests of Responsiveness

Prior to evaluation of Proposals, JTDCL will determine whether each Proposal is responsive to the requirements of the RFP. A Proposal shall be considered responsive only if:

- i. it is received by the Proposal Due Date including any extension thereof pursuant to clause 3.2;
- ii. is received through hard copy to be delivered by Courier/Registered Post/Speed Post/Hand delivery as stipulated in **Clause 3.6.**
- iii. it is accompanied with the EMD amount as set out in Clause 3.3;
- iv. it contains the information and documents as requested in the RFP;
- v. it provides the information in reasonable detail. ("Reasonable Detail" means that, but for minor deviations, the information can be reviewed and evaluated by JTDCL without communication with the Bidder). JTDCL reserves the right to determine whether the information has been provided in reasonable detail;
- vi. it does not contain any condition or qualification; and
- vii. it is not non-responsive in terms hereof.

JTDCL reserves the right to reject any Proposal which is non-responsive and no request for alteration, modification, substitution or withdrawal shall be entertained by JTDCL in respect of such Proposal.

Bids of a single business entity which are found to be non-responsive shall be rejected.

Evaluation of Technical Bid of the Bidder

The Proposals/Bids received will be scrutinized to assess their eligibility based on the qualifyingcriteria. ThoseProposals/Bidswhichdonotmeetthequalifyingcriteria will be rejected, forthwith, or at any stage of detection.

JTDCL will finalize agencies on basis of their technical credentials. This assessment will be done by a special Selection Committee of JTDCL.

Evaluation of Financial Proposals

The Financial Proposals of only the qualified Bidders as per **clause4.3** shall be opened in the presence of the Bidder's representatives who choose to attend on the date and time intimated to the qualified Bidders. The name of the Bidder and the proposed financial offer shall be read aloud and recorded.

For financial evaluation, the Service Fee and Annual Maintenance fees exclusive of all applicable Taxes indicated in the Financial Proposal for each component shall be evaluated.

JTDCL will determine whether the Financial Proposals are complete, unqualified and unconditional. The cost indicated in the Financial Proposal shall be deemed as final

And reflecting the total cost of services. Omissions ,if any, in costing any services shall not entitle the selected Agency to be compensated and the liability to fulfill its obligations asperthes cope of services mentioned in this RFP is within the total quoted Service Fee and Annual Maintenance fees shall be that of the Agency.

Selection of Bidder

The Bidder quoted the Lowest Service Fee (L1) shall be declared as Selected Agency for work.

In the event that the L1 Bidder withdraws its Bids or is not selected for any reason in

first instance, JTDCL may invite the second ranked Bidder for negotiations.

The Bidder quoting the **Lowest Service Fee(L1)** shall be the Selected Agency.

Letter of Award(LOA)/Work Order

After selection, a Letter of Award (the "LOA") / Work Order shall be issued, in duplicate, by JTDCL to the Selected Bidder(s) and the Selected Bidder(s) shall, within 7(seven)days of the receipt of the LOA, sign and return the duplicate copy of the LOA in acknowledgement thereof. In the event the duplicate copy of the LOA duly signed by the Selected Bidder is not received by the stipulated date, JTDCL may, unless it consents to extension of time for submission thereof, appropriate the EMD of such Bidder on account of failure of the Selected Bidder to acknowledge the LOA, and the next eligible Bidder may be considered.

Contacts during Proposal Evaluation

Proposals shall be deemed to be under consideration immediately after they are opened and until such time JTDCL makes official intimation of award/ rejection to the Bidders. While the Proposals are under consideration, Bidders and/ or their representatives or other interested parties shall not make attempts to establish unsolicited and unauthorised contact by any means with JTDCL and/ or their employees/representatives on matters related to the Proposals under consideration after opening of the Proposals and prior to notification of the Award. If any attempt by the Bidder causing extraneous pressure on JTDCL shall be sufficient reason to disqualify the Bidder.

Fraud and Corrupt Practices

The Bidders and their respective officers, employees, agents and advisers shall observe the highest standard of ethics during the Selection Process. Notwithstanding anything to the contrary contained in this RFP, JTDCL shall reject a Proposal without being liable in any manner whatsoever to the Bidder, if it determines that the Bidder has, directly or indirectly or through an agent, engaged in corrupt practice, fraudulent practice, coercive practice, undesirable practice or restrictive practice (collectively the "**Prohibited Practices**")in the Selection Process. JTDCL, GoJ may also, in its sole

discretion, debar the Bidder (including its Associates) in participating in any of the bidding/tender processes in the state for any time period determined by it.

Penalty Provision

In case of delay in execution of the assigned work and unsatisfactory performance by the Selected Agency, JTDCL may impose a penalty of 10% of the **Service Fee** or part thereof (subject to maximum of 30% of the **Service Fee**) or terminate the agency.

Safety/Quality Check

JTDCL will inspect the site on regular interval/quarterly and verify the work as per scope of work.

Transportation

The Agency/Bidders are required to transport and deliver the equipments at different destinations in the State as per direction of JTDCL. The cost of transportation, loading, un-loading, transit insurance, excise & custom shall be the responsibility of the agency. No separate charges shall be borne by the JTDCL.

Guarantee

The Guarantee shall remain valid for a minimum period of 12 month from the Original Equipment Manufacturer (OEM) or as per equipment/items category. The agency shall keep a stock of consumables & spare parts required for maintenance of the equipments. The guarantee shall include replacement of spare parts, service, and total replacement in case of any manufacturing defects of all equipment.

Site Visit

Agency/Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids.

ANNEXURE-1:-SCOPEOFWORK

The scope of services to be provided by the Agency as described below is general but is not exhaustive i.e. does not mention the entire incidental services required to be carried out. The services shall be provided all in accordance with true intent and meaning, regardless of whether the same may or may not be particularly described, provided that the same can be reasonably inferred there from. The scope of services shall also be governed by the provisions of the LOA/Work Order to be entered into between the Agency and Jharkhand Tourism Development Corporation Limited (JTDCL) which sets forth the detailed terms and conditions for grant of the right to the Agency (the "Right"). There may be several incidental services & assignments, which are not mentioned herein but will be necessary to complete the work in all respects. Main focus of JTDCL is to promote tourist destinations, create a strong brand identity and awareness of Jharkhand Tourism amongst the target tourists with their safety and security.

- (a) Supply, installation, integration and commissioning of IP Based wireless CCTV Cameras and other support equipments and accessories at JTDC units including all hardware, software and integration of VMS to enable viewing through VMS software in the Command and Control Centre (CCC).
- (b) The CCC has to be setup at the Head Office of JTDCL in Ranchi. The proposed solution architecture, functional requirement and detailed specification of required equipments are given in Annexure-1.
- (c) JTDCL has already installed cameras at its Units/Complexes in Lake Resort Patratu(40 cameras out of which 40 cameras are working), Hotel Prabhat Vihar Netarhat New Building (64 cameras out of which 42 are working)and Hotel Birsa Vihar Ranchi (15 cameras out of which 14 cameras working). The Successful bidder should repair and integrate the existing cameras into the proposed VMS along with CCC Integration.
- (d) The Surveillance System need to be functional on 24x7 basis.
- (e) All the camera feeds have to be stored for at least 30 days in the respective units of JTDCL and Head Office.
- (f) Training: Upon completion of the installation & commissioning, the bidder should provide handson training on the installed equipment to the personnel of JTDCL at respective units and CCC for one week with training materials on operation and maintenance of the system and the equipment at Free of cost.
- (d) Then bidder should monitor the system after completion of installation, commissioning and system integration for at least 15days before handing over the entire system to JTDCL.
- (e) The Command center will be in Ranchi for the surveillance monitoring. The Command and Control center should host the Server Room& Command and Control Centre; Video Wall should be installed in the command center for the effective monitoring.

Carry out all the activities required for successful Supply ,Installation, Integration and Commissioning of IP based CCTV wireless cameras and surveillance system at following units of JTDCL, which shall include but not limited to the following activities. The location of 12 Units of JTDCL including Head Office where Agency will be responsible for Supply, Installation, Integration and Commissioning of IP based CCTV cameras and surveillance system equipment mention below:

SI. NO.	NAMEOFUNIT	DISTRICT
1	HEADOFFICE&TIC	RANCHI
2	ISLAND,LAKERESORT,PATRATU	RAMGARH
3	HOTELRATANVIHAR	DHANBAD
4	HOTELNATARAJVIHARANDRESTAURANT&TIC	DEOGHAR
5	HOTELSHIVVIHAR,DUMKA	DUMKA
6	HOTELBASUKIVIHAR,BASUKINATH	DUMKA
7	TOURISTCOMPLEX,TENUGHAT	BOKARO
8	TOURISTCOMPLEX,ITKHORI	CHATRA
9	HOTELVANVIHAR,BETLA	LATEHAR
10	WAYSIDEAMENITIES,BAGODAR	GIRIDIH
11	HOTELPRABHATVIHAR,NETARHAT(NEWBUILDING)	LATEHAR
12	HOTELBIRSAVIHAR	RANCHI

OFJID	1.HEADOFFICE&TIC,RANCHI		
SN.	ItemDescription	UoM	Qty.
1	4MPFullHDWDRIRNetworkBulletCamera-50Mtr.	Nos.	3
2	2MPFullHDWDRIRVandalDomeCamera-30Mtr.	Nos.	7
3	16Ch.4KNVR320mbpswith04SATAPORT	Nos.	1
4	HDD10TBSurveillance	Nos.	1
5	10PortsSwitchwith8GigabitPoEPorts&2GigabitUplinkPorts,2SFPPorts	Nos.	2
6	PVCBox(6-4or4-4)	Nos.	10
7	PVCPipe1inch(25mm)having03meterLength	Pcs.	40
8	PVCBent1inch	Pcs.	15
9	SHADDLE	Packet	4
10	FlexiblePipe	Mtrs	5
11	CAT6CABLE4PAIRUTP23AWGCABLE305mtr.Box	Nos.	1
12	RJ45Connectors(100pcs)01Pkt	Nos.	1
13	6PortsSwitchwith4GigabitPoEPorts&2SFPGigabitUplinkPorts	Nos.	1
14	WallMountRack2USize;withacrylicfiberglassdoor;locknkey&PDU(3 sockets) (450MM x 350MM)	Nos.	2
15	WallMountRack4USize;withtoughenedglassdoor;Locknkey,withPDU3 Socket (550MM x 350MM)	Nos.	1
16	55"ProfessionalTVwithHDMIcableLG	Nos.	1
17	InternetConnectivity4GRouterWith5GSupports	Nos.	1
18	WIFIRouterminimumupto300Mbps	Nos.	1
19	UPS01KVAWITH60minutesbackup	Nos.	1
20	Installation&LayingofCAT6Cable withPVCpipeAboveItem	Lot	1
	2.HOTEL&RESTAURANTBIRSAVIHAR,RANCHI	<u>'</u>	•
SN.	ItemDescription	UoM	Qty.
1	4MPFullHDWDRIRNetworkBulletCamera-50Mtr.	Nos.	4
2	2MPFullHDWDRIRVandalDomeCamera-30Mtr.	Nos.	6
3	16Ch.4KNVR320mbpswith04SATAPORT	Nos.	1
4	HDD10TBSurveillance	Nos.	1
5	10PortsSwitchwith8GigabitPoEPorts&2GigabitUplinkPorts,2SFPPorts	Nos.	2
6	PVCBox(6-4or4-4)	Nos.	8
7	PVCPipe1inch(25mm)having03meterLength	Nos.	25
8	PVCBent1inch	Pcs.	10
9	SHADDLE	Packet	3
10	FlexiblePipe	Mtrs.	3
11	CAT6CABLE4PAIRUTP23AWGCABLE305mtr.Box	Nos.	1
12	RJ45Connectors(100pcs)01Pkt	Nos.	1
13	6PortsSwitchwith4GigabitPoEPorts&2SFPGigabitUplinkPorts	Nos.	1
14	WallMountRack2USize; with a crylic fiberglass door; lock nkey & PDU (3 sockets) (450MM x 350MM)		1
15	WallMountRack4USize; withtoughenedglassdoor; Locknkey, withPDU3 Socket (550MM x 350MM)		1
16	55"ProfessionalTVwithHDMIcableLG	Nos.	1
	I .	<u> </u>	<u> </u>

	CL		
17	InternetConnectivity4GRouterWith5GSupports	Nos.	1
18	WIFIRouterminimumupto300Mbps		1
19	UPS01KVAWITH60minutesbackup	Nos.	1
20	Installation&LayingofCAT6Cable withPVCpipeAboveItem	Lot	1
	3.ISLAND,LAKERESORT,PATRATU		
SN.	ItemDescription	UoM	Qty.
1	4MPFullHDWDRIRNetworkBulletCamera-50Mtr.	Nos.	1
2	2MPFullHDWDRIRVandalDomeCamera-30Mtr.	Nos.	1
3	16Ch.4KNVR320mbpswith04SATAPORT	Nos.	1
4	HDD10TBSurveillance	Nos.	1
5	10PortsSwitchwith8GigabitPoEPorts&2GigabitUplinkPorts,2SFPPorts	Nos.	1
6	PVCBox(6-4or4-4)	Nos.	2
7	PVCPipe1inch(25mm)having03meterLength	Pcs.	10
8	PVCBent1inch	Pcs.	5
9	SHADDLE	Packet	2
10	FlexiblePipe	Mtrs	3
11	CAT6CABLE4PAIRUTP23AWGCABLE305mtr.Box	Nos.	1
12	RJ45Connectors(100pcs)01Pkt	Nos.	1
13	6PortsSwitchwith4GigabitPoEPorts&2SFPGigabitUplinkPorts	Nos.	1
14	WallMountRack2USize; with a crylic fiberglass door; locknkey & PDU (3 sockets) (450MM x 350MM)	Nos.	1
15	WallMountRack4USize; withtoughenedglassdoor; Locknkey, withPDU3 Socket (550MM x 350MM)	Nos.	1
16	55"ProfessionalTVwithHDMIcableLG	Nos.	1
17	InternetConnectivity4GRouterWith5GSupports	Nos.	1
18	WIFIRouterminimumupto300Mbps	Nos.	1
19	UPS01KVAWITH60minutesbackup	Nos.	1
20	Installation&LayingofCAT6Cable withPVCpipeAboveItem	Lot	1
	4.HOTEL&RESTAURANTRATANVIHAR,DHANBAD		
SN.	ItemDescription	UoM	Qty.
1	4MPFullHDWDRIRNetworkBulletCamera-50Mtr.	Nos.	3
2	2MPFullHDWDRIRVandalDomeCamera-30Mtr.	Nos.	7
3	32Ch.4KNVR320mbpswith04SATAPORT	Nos.	1
4	HDD10TBSurveillance	Nos.	2
5	10PortsSwitchwith8GigabitPoEPorts&2GigabitUplinkPorts,2SFPPorts	Nos.	2
6	PVCBox(6-4or4-4)	Nos.	10
7	PVCPipe1inch(25mm)having03meterLength	Mtr.	30
8	PVCBent1inch	Pcs.	10
9	SHADDLE		5
10	FlexiblePipe	Mtrs.	5
11	CAT6CABLE4PAIRUTP23AWGCABLE305mtr.Box		1
12	RJ45Connectors(100pcs)01Pkt	Nos.	1
13	6PortsSwitchwith4GigabitPoEPorts&2SFPGigabitUplinkPorts	Nos.	1

OFJID	CL		
14	WallMountRack2USize; with a crylic fiberglass door; locknkey & PDU (3 sockets) (450MM x 350MM)	Nos.	2
15	WallMountRack4USize; withtoughenedglassdoor; Locknkey, withPDU3 Socket (550MM x 350MM)	Nos.	1
16	55"ProfessionalTVwithHDMIcableLG	Nos.	1
17	InternetConnectivity4GRouterWith5GSupports	Nos.	1
18	WIFIRouterminimumupto300Mbps	Nos.	1
19	UPS01KVAWITH60minutesbackup	Nos.	1
20	Installation&LayingofCAT6Cable withPVCpipeAboveItem	Lot	1
	5.HOTEL&RESTAURANTNATRAJVIHAR&TIC,DEOGHAR		
SN.	ItemDescription	UoM	Qty.
1	4MPFullHDWDRIRNetworkBulletCamera-50Mtr.	Nos.	4
2	2MPFullHDWDRIRVandalDomeCamera-30Mtr.	Nos.	8
3	16Ch.4KNVR320mbpswith04SATAPORT	Nos.	2
4	HDD10TBSurveillance	Nos.	2
5	10PortsSwitchwith8GigabitPoEPorts&2GigabitUplinkPorts,2SFPPorts	Nos.	3
6	PVCBox(6-4or4-4)	Nos.	12
7	PVCPipe1inch(25mm)having03meterLength	Mtr.	40
8	PVCBent1inch	Pcs.	15
9	SHADDLE	Packet	7
10	FlexiblePipe	Mtrs	7
11	CAT6CABLE4PAIRUTP23AWGCABLE305mtr.Box	Nos.	2
12	RJ45Connectors(100pcs)01Pkt	Nos.	2
13	6PortsSwitchwith4GigabitPoEPorts&2SFPGigabitUplinkPorts	Nos.	2
14	WallMountRack2USize;withacrylicfiberglassdoor;locknkey&PDU(3 sockets) (450MM x 350MM)	Nos.	3
15	Wall mount 6U 450D With Front Glass Door Lock& Key; toughened glass; cantileverTray(220mmwidth)1pc,PDU5amp(6sockets)+coolingFan1pc (550MM x 450MM)	Nos.	2
16	55"ProfessionalTVwithHDMIcableLG	Nos.	2
17	InternetConnectivity4GRouterWith5GSupports	Nos.	2
18	WIFIRouterminimumupto300Mbps	Nos.	2
19	UPS01KVAWITH60minutesbackup	Nos.	2
20	Installation&LayingofCAT6Cable withPVCpipeAboveItem	Lot	2
	6.HOTELSHIVVIHAR,DUMKA		
SN.	ItemDescription	UoM	Qty.
1	4MPFullHDWDRIRNetworkBulletCamera-50Mtr.	Nos.	3
2	2MPFullHDWDRIRVandalDomeCamera-30Mtr.	Nos.	7
3	4Ch.4KNVR320mbpswith04SATAPORT	Nos.	1
4	HDD10TBSurveillance	Nos.	2
5	10PortsSwitchwith8GigabitPoEPorts&2GigabitUplinkPorts,2SFPPorts	Nos.	2
6	PVCBox(6-4or4-4)	Nos.	10
7	PVCPipe1inch(25mm)having03meterLength	Pcs.	30
8	PVCBent1inch	Pcs.	10
9	SHADDLE	Packet	5
			1

10	FlexiblePipe	Mtrs	5
11	CAT6CABLE4PAIRUTP23AWGCABLE305mtr.Box	Nos.	1
12	RJ45Connectors(100pcs)01Pkt	Nos.	1
13	6PortsSwitchwith4GigabitPoEPorts&2SFPGigabitUplinkPorts	Nos.	1
14	WallMountRack2USize; with a crylic fiber glass door; lock nkey & PDU (3 sockets) (450 MM x 350 MM)	Nos.	2
15	WallMountRack4USize;withtoughenedglassdoor;Locknkey,withPDU3 Socket (550MM x 350MM)	Nos.	1
16	55"ProfessionalTVwithHDMIcable	Nos.	1
17	InternetConnectivity4GRouterWith5GSupports	Nos.	1
18	WIFIRouterminimumupto300Mbps	Nos.	1
19	UPS01KVAWITH60minutesbackup	Nos.	1
20	Installation&LayingofCAT6Cable withPVCpipeAboveItem	Lot	1
	7.HOTELBASUKIVIHARBASUKINATH,DUMKA		
SN.	ItemDescription	UoM	Qty.
1	4MPFullHDWDRIRNetworkBulletCamera-50Mtr.	Nos.	2
2	2MPFullHDWDRIRVandalDomeCamera-30Mtr.	Nos.	6
3	8Ch.4KNVR320mbpswith04SATAPORT	Nos.	1
4	HDD10TBSurveillance	Nos.	1
5	10PortsSwitchwith8GigabitPoEPorts&2GigabitUplinkPorts,2SFPPorts	Nos.	1
6	PVCBox(6-4or4-4)	Nos.	8
7	PVCPipe1inch(25mm)having03meterLength	Pcs.	25
8	PVCBent1inch	Pcs.	15
9	SHADDLE	Packet	5
10	FlexiblePipe	Mtrs	3
11	CAT6CABLE4PAIRUTP23AWGCABLE305mtr.Box	Nos.	1
12	RJ45Connectors(100pcs)01Pkt	Nos.	1
13	6PortsSwitchwith4GigabitPoEPorts&2SFPGigabitUplinkPorts	Nos.	1
14	WallMountRack2USize;withacrylicfiberglassdoor;locknkey&PDU(3 sockets) (450MM x 350MM)	Nos.	1
15	Wall mount 6U 450D With Front Glass Door Lock& Key; toughened glass; cantilever Tray(220mmwidth)1pc,PDU5amp(6sockets)+coolingFan1pc (550MM x 450MM)	Nos.	1
16	55"ProfessionalTVwithHDMIcable	Nos.	1
17	InternetConnectivity4GRouterWith5GSupports	Nos.	1
18	WIFIRouterminimumupto300Mbps	Nos.	1
19	UPS01KVAWITH60minutesbackup	Nos.	1
20	Installation&LayingofCAT6Cable with PVC pipe Above Item	Lot	1
	8.TOURISTCOMPLEX&RESTAURANT,TENUGHAT,BOKARO		
SN.	ItemDescription	UoM	Qty.
1	4MPFullHDWDRIRNetworkBulletCamera-50Mtr.	Nos.	2
2	2MPFullHDWDRIRVandalDomeCamera-30Mtr.	Nos.	2
3	8Ch.4KNVR320mbpswith04SATAPORT	Nos.	1
	HDD10TBSurveillance	Nos.	1

SN.	ItemDescription	UoM	Qty
CNI	10.HOTEL&RESTAURANTVANVIHAR,BETLA,LATEHAR	T1 3.5	Ci
20	Installation&LayingofCAT6Cable withPVCpipeAboveItem	Lot	1
19	UPS01KVAWITH60minutesbackup	Nos.	1
18	WIFIRouterminimumupto300Mbps	Nos.	1
17	InternetConnectivity4GRouterWith5GSupports	Nos.	1
16	55"ProfessionalTVwithHDMIcable	Nos.	1
15	WallMountRack4USize;withtoughenedglassdoor;Locknkey,withPDU3 Socket (550MM x 350MM)	Nos.	1
14	WallMountRack2USize;withacrylicfiberglassdoor;locknkey&PDU(3 sockets) (450MM x 350MM)	Nos.	1
13	6PortsSwitchwith4GigabitPoEPorts&2SFPGigabitUplinkPorts	Nos.	1
12	RJ45Connectors(100pcs)01Pkt	Nos.	1
11	CAT6CABLE4PAIRUTP23AWGCABLE305mtr.Box	Nos.	1
10	FlexiblePipe	Mtrs	3
9	SHADDLE	Packet	2
8	PVCBent1inch	Pcs	5
7	PVCPipelinch(25mm)having03meterLength	Mtr.	1
6	PVCBox(6-4or4-4)	Nos.	1
5	10PortsSwitchwith8GigabitPoEPorts&2GigabitUplinkPorts,2SFPPorts	Nos.	1
4	HDD10TBSurveillance	Nos.	1
3	8Ch.4KNVR320mbpswith04SATAPORT	Nos.	
2	2MPFullHDWDRIRVandalDomeCamera-30Mtr.	Nos.	1
1	4MPFullHDWDRIRNetworkBulletCamera-50Mtr.	Nos.]
SN.	ItemDescription	UoM	Q
	9.TOURISTCOMPLEX&RESTAURANT,ITKHORI,CHATRA		
20	Installation&LayingofCAT6Cable withPVCpipeAboveItem	Lot	1
19	UPS01KVAWITH60minutesbackup	Nos.	
18	WIFIRouterminimumupto300Mbps	Nos.]
17	InternetConnectivity4GRouterWith5GSupports	Nos.	1
16	55"ProfessionalTVwithHDMIcable	Nos.]
15	WallMountRack4USize; withtoughenedglassdoor; Locknkey, withPDU3 Socket (550MM x 350MM)	Nos.]
14	WallMountRack2USize;withacrylicfiberglassdoor;locknkey&PDU(3 sockets) (450MM x 350MM)	Nos.]
13	6PortsSwitchwith4GigabitPoEPorts&2SFPGigabitUplinkPorts	Nos.]
12	RJ45Connectors(100pcs)01Pkt	Nos.	
11	CAT6CABLE4PAIRUTP23AWGCABLE305mtr.Box	Nos.	
10	FlexiblePipe	Mtrs	2
9	SHADDLE	Packet	
8	PVCBent1inch	Pcs	1
7	PVCPipe1inch(25mm)having03meterLength	Pcs	1
6	PVCBox(6-4or4-4)	Nos.	
5	10PortsSwitchwith8GigabitPoEPorts&2GigabitUplinkPorts,2SFPPorts	Nos.	1

OLITO	CL .		
1	4MPFullHDWDRIRNetworkBulletCamera-50Mtr.	Nos.	2
2	2MPFullHDWDRIRVandalDomeCamera-30Mtr.		2
3	8Ch.4KNVR320mbpswith04SATAPORT	Nos.	1
4	HDD10TBSurveillance	Nos.	1
5	10PortsSwitchwith8GigabitPoEPorts&2GigabitUplinkPorts,2SFPPorts	Nos.	1
6	PVCBox(6-4or4-4)	Nos.	4
7	PVCPipe1inch(25mm)having03meterLength	Mtr.	10
8	PVCBent1inch	Pcs	5
9	SHADDLE	Packet	3
10	FlexiblePipe	Mtrs	2
11	CAT6CABLE4PAIRUTP23AWGCABLE305mtr.Box	Nos.	1
12	RJ45Connectors(100pcs)01Pkt	Nos.	1
13	6PortsSwitchwith4GigabitPoEPorts&2SFPGigabitUplinkPorts	Nos.	1
14	WallMountRack2USize;withacrylicfiberglassdoor;locknkey&PDU(3 sockets) (450MM x 350MM)	Nos.	1
15	Wall mount 6U 450D With Front Glass Door Lock& Key; toughened glass; cantileverTray(220mmwidth)1pc,PDU5amp(6sockets)+coolingFan1pc (550MM x 450MM)	Nos.	1
16	55"ProfessionalTVwithHDMIcable	Nos.	1
17	InternetConnectivity4GRouterWith5GSupports	Nos.	1
18	WIFIRouterminimumupto300Mbps	Nos.	1
19	UPS01KVAWITH60minutesbackup	Nos.	1
20	Installation&LayingofCAT6Cable withPVCpipeAboveItem	Lot	1
	11.HOTEL&RESTAURANTPRABHATVIHAR,NETARHAT,LATEHAR		
SN.	ItemDescription	UoM	Qty.
1	4MPFullHDWDRIRNetworkBulletCamera-50Mtr.	Nos.	4
2	2MPFullHDWDRIRVandalDomeCamera-30Mtr.	Nos.	11
3	16Ch.4KNVR320mbpswith04SATAPORT	Nos.	1
4	HDD10TBSurveillance	Nos.	1
5	10PortsSwitchwith8GigabitPoEPorts&2GigabitUplinkPorts,2SFPPorts	Nos.	3
6	PVCBox(6-4or4-4)	Nos.	15
7	PVCPipe1inch(25mm)having03meterLength	Mtr.	30
8	PVCBentlinch	Pcs	15
9	SHADDLE	Packet	5
10	Flexible Pipe	Mtrs	5
11	CAT6CABLE4PAIRUTP23AWGCABLE305mtr.Box	Nos.	1
12	RJ45Connectors(100pcs)01Pkt	Nos.	1
13	6PortsSwitchwith4GigabitPoEPorts&2SFPGigabitUplinkPorts	Nos.	1
14	WallMountRack2USize; with a crylic fiberglass door; locknkey & PDU(3 sockets) (450MM x 350MM)		3
	Wall mount 6U 450D With Front Glass Door Lock & Key; toughened glass; cantilever Tray(220mmwidth)1pc,PDU5amp(6sockets)+coolingFan1pc (550MM x 450MM)		

2023

SELECTIONOFAGENCYFORSUPPLY, INSTALLATION, INTEGRATION AND COMMISSIONING OFIPBASEDWIRELESSCCTVCAMERASANDSURVEILLANCESYSTEMATVARIOUSUNITS **OFJTDCL**

16	55"ProfessionalTVwithHDMIcable	Nos.	1
17	InternetConnectivity4GRouterWith5GSupports	Nos.	1
18	WIFIRouterminimumupto300Mbps	Nos.	1
19	UPS01KVAWITH60minutesbackup	Nos.	1
20	Installation&LayingofCAT6Cable withPVCpipeAboveItem	Lot	1
	12.WAYSIDEAMENITIES&RESTAURANT,BAGODAR,GIRIDIH		
SN.	ItemDescription	UoM	Qty.
1	4MPFullHDWDRIRNetworkBulletCamera-50Mtr.	Nos.	2
2	2MPFullHDWDRIRVandalDomeCamera-30Mtr.	Nos.	3
3	8Ch.4KNVR320mbpswith04SATAPORT	Nos.	1
4	HDD10TBSurveillance	Nos.	2
5	10PortsSwitchwith8GigabitPoEPorts&2GigabitUplinkPorts,2SFPPorts	Nos.	1
6	PVC Box(6-4or4-4)	Nos.	5
7	PVCPipe1inch(25mm)having03meterLength	Mtr.	30
8	PVCBent1inch		10
9	SHADDLE	Packet	5
10	Flexible Pipe	Mtrs	2
11	CAT6CABLE4PAIRUTP23AWGCABLE305mtr.Box	Nos.	1
12	RJ45Connectors(100pcs)01Pkt	Nos.	1
13	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		1
14	WallMountRack2USize; with a crylic fiberglass door; locknkey & PDU(3 sockets) (450MM x 350MM)	Nos.	1
15	Wall mount 6U 450D With Front Glass Door Lock& Key; toughened glass; cantilever Tray(220mmwidth)1pc,PDU5amp(6sockets)+coolingFan1pc (550MM x 450MM)		1
16	55"ProfessionalTVwithHDMIcable	Nos.	1
17	InternetConnectivity4GRouterWith5GSupports	Nos.	1
18	WIFIRouterminimumupto300Mbps	Nos.	1
19	UPS01KVAWITH60minutesbackup	Nos.	1
20	Installation&LayingofCAT6Cable with PVC pipe Above Item	Lot	1

1. Eligibility Criteria for CCTV OEM:

- i. OEM to have its valid GST Certificate
- OEM Should be ISO9001,ISO14001,ISO27001CertifiedCompany. ii.
- The OEM of the CCTVequipment's should not be debarred/banned/black listed or imposed sanctions by iii. any Country or Government institution globally. OEM declaration to be submitted.
- OEM Must have valid GST certificate of Jharkhand state. iv.
- OEM Brand should have established in India at least for 10 years, it's presence should be supported v. with brand registration certificate like TM, COI etc.
- OEM must be full member of ONVIF vi.
- vii. The OEM of the CCTV camera must have more than 500 employees on its pay roll in India. Any OEM which is apart of a larger group company but meeting the 500-employee criterion in India is also eligible.

This is to justify that CCTV OEM has made investment in India and is serious about its business in India which will ensure long term after sales support and spare support from the OEM. Respective document/ Certificate to be provided along with the bid.

2023

2023

OF IPBASED WIRE LESS CCTV CAMERAS AND SURVEIL LANCESYSTEMAT VARIOUS UNITS OF JTD CL

viii. CE, FCC, UL, BIS certificate required of Camera &NVR.

ix. The OEM for IP Cameras must have a self-owned (not as joint venture, partnership firms or through any other association) service/support and RMA center in India including at least 10 number of Level 2 & Level 3 service engineers. The technical support setup should be existent for at least 5 years in India. OEM should also have a Toll free number along with ticketing website for logging calls and obtaining service docket/ticket."

	Technical Specifications & Compliance				
		4MPFullHDWDRIRNetworkBulletCamera	-50Mtr.		
Sr No	Features	Specifications	Compliance (Yes/No)	Remarksifany	
1	Image Sensor	1/2.7"4MegapixelPSCMOSImageSensor (0.9407 centimeters)			
2	Minimum Illumination	0.008 Lux @ F1.2, AGC ON; B/W: 0.01 Lux @ F1.6, AGC ON; 0 lux with IR			
3	Effective Pixels	2688(H) x 1520(V) or better			
4	Shutter Speed	Auto/Manual1/3s-1/100000s			
5	White Balance	Auto/natural/street lamp/outdoor/manual/regional custom			
6	Lens	2.8 - 12 mm, motorized varifocal zoom lens, auto focus			
7	Gain Control(AGC)	Auto/Manual			
8	Video Compression	H.265 / H.264 / MJPEG.			
9	Angle of View	2.8 - 12 mm, : Horizontal: 92.7°~ 29.8°, Vertical: 76.4°~ 22.6°			
10	Back Light Compensation	BLC/HLC/WDR(120dB)			
11	Video Streaming	Main stream (2688 × 1520@1–25/30 fps) sub stream (704 × 576@1–25/30 fps) third stream (1280 × 720@1–25/30 fps)			
		5MP(2592×1944), 4MP(2560×1440), 3MP(2304×1296), 1080P(1920×1080),			
12	Danalastian	720P (1280×720), D1, CIF, 480×240			
	Resolution	Motion Detection with 3 zones			
13	Motion Detection	4areas			
15	Privacy Mask ICR	ICR auto switch			
16	ROI	Yes (3areas) or better			
17	Audio Input	1channel(RCA port)			
18	Audio Output	1channel(RCA port)			
19	Audio Output Audio Compression	G.711a/G.711Mu/AAC/G.726			
20	Alarm IN	IN x 1			
21	Alarm Output	OUT x 1			
22	Audio	Built-in Mic			
23	Bit Rate	128 Kbps - 10 Mbps for both H.264 & H.265			
24	Protocol	HTTP; TCP; ARP; RTSP; RTP; UDP; RTCP; SMTP; FTP; DHCP; DNS; DDNS; PPPoE; IPv4/v6; SNMP; QoS; UPnP; NTP; ONVIF (Profile S/Profile G)/CGI/P2P			

25	Smart Detection	Tripwire; intrusion(Recognition of human and vehicle)	•
26	Ethernet	RJ-45(10/100Base-T)	
27	Event Trigger	Motion detection, Intelligent video analytics, Network disconnect, video tampering, IP address conflict, illegal login, HDD full, HDD error, Alarm input, Alarm output/audio detection/Voltage detection/Security Exception (Abnormality)/SMD	
28	User Account	10 users or better	
29	Smart Phone	iPhone, iPad, Android Phone	
30	IR	IRRangeof50Mtr.	
31	Micro SD	Built-in micro SD card slot, up to 256 GB	
32	Operating Temperature	-40°Cto+60°C(-40°Fto+140°F)/less than≤95%	
33	Power Source	12VDC/PoE	
34	Power Consumption	<4.6W.	
35	Weather proof Standard	IP67	
36	Casing	Alloy/Metal	
37	Working Humidity	10%~90% or better.	

2MPFullHDWDRIRVandalDomeCamera-30Mtr.				
Sr No	Features		Compliance (Yes/No)	Remarksifany
1	Image Sensor	1 / 2.7" Progressive Scan CMOS		
2	Minimum Illumination	Color: 0.04 Lux @ F2.2, AGC ON; 0 lux with IR 0Lux with IR ON		
3	Effective Pixels	2560 × 1440		
4	Shutter Speed	Auto/Manual1/3s-1/100000s		
5	White Balance	Auto/natural/street lamp/outdoor/manual/regional custom		
6	Lens	3.6mmfixedlens(2.8mmoptional)		
7	Gain Control(AGC)	Auto/Manual		
8	Video Compression	H.265 / H.264		
9	Angle of View	2.8 mm @F2.0, horizontal field of view:110°,Vertical: 77.6°; 3.6 mm @F2.2, horizontal field of view: 89°, Vertical: 58°		
10	Back Light Compensation	BLC/HLC/WDR(120dB)		
11	Video Streaming	MainStream:1080P(1~25/30fps),Sub Stream: D1(1-25/30fps)		
12	Resolution	1080P(1920×1080)/1.3M(1280×960)/ 720P(1280×720)/D1(704×576/704×480)/ VGA(640×480)/CIF(352×288/352×240)		
13	Digital Zoom	Supported		
14	Motion Detection	Motion Detection with 3 zones		
15	ICR	Auto(ICR)/Color/B/W		
16	Privacy Mask	Off/On(4Area,Rectangle)		
17	ROI	Yes (3 areas) or better.		
18	Bit Rate	64Kbps - 5 Mbps		

	OLLIDCE		
19	HTTP; TCP,ARP/RTSP; RTP; UDP; RTCP; SMTP; FTP; DHCP; DNS; DDNS; PPPoE; IPv4/v6; QoS; UPnP; NTP; RTMP; Multicast; HTTPS; SFTP; 802.1x; ICMP; IGMP, ONVIF (Profile S/Profile G)/ CGI/ Insta On/Milestone/Genetec		
20	Smart Detection	Tripwire ,Intrusion	
21	Ethernet	RJ-45(10/100Base-T)	
22	Event Trigger	Motion detection, Video tampering, Scene changing/Network disconnection, IP address conflict, Illegal access, Storage anomaly/SD Card error	
23	User Account	4 users or better	
24	IR	IRRangeof30 Mtr	
25	Smart Phone	iPhone, iPad, Android Phone	
26	Micro SD	Built-in micro SD card slot, up to 128GB	
27	Storage Temperature	-40°Cto+60°C(-40°Fto+140°F)	
28	Operating Temperature	-40°Cto+60°C(-40°Fto+140°F)	
29	Humidity	10 % to 90 % relative humidity or better	
30	Power Source	DC12V,PoE(802.3af)	
31	Power Consumption	<4.6W	
32	Casing	Alloy/Metal	
33	Weather proof Standard	IP67& IK10	

16Ch.4KNVR320mbpswith04SATAPORT					
Sr No	Features	Specifications	Compliance (Yes/No)	Remarksifany	
1	Processor	Industrial embedded micro-processor			
2	Operating System	Embedded LINUX			
3	User Interface	GUI			
4	Video Output	2HDMI,2VGA			
5	Video Resolution	HDMI 1 output : 4K (3840 × 2160)/60Hz, 4K (3840 × 2160)/30Hz, 1920 × 1080/60Hz, 1600 × 1200/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz, 1024 × 768/60Hz HDMI 2 output : 1920 × 1080/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz, 1024 × 768/60Hz VGA 1 output : 1920 × 1080/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz, 1024 × 768/60Hz VGA 2 output : 1920 × 1080/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz, 1024 × 768/60Hz VGA 2 output : 1920 × 1080/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz, 1024 × 768/60Hz			
6	Video Recording	Incoming bandwidth 256 Mbps or better			
7	Video Display Split	1/4/8/9/16			
8	Channel	16channel			
9	Motion Detection	MDZones:396(22×18).			
10	Video Loss	supports			
11	Band width Incoming	Incoming bandwidth 256 Mbps or better			
12	Alarm Input	16channels			
13	Alarm Output	4 or better			

14	Smart Phone	iPhone, iPad, Android Phone	
15	Hard Disk	4SATA IIIports,upto10TBforasingle HDD. The maximum HDD capacity varies with environment temperature	
16	Trigger Events	Recording/PTZ, Tour/Alarm Out/Video Push/Email/Snapshot, Buzzer/ScreenTips	
17	Recording Mode	As per OEM's own internal parameters	
18	Search Mode	Time/Date, Alarm, MD and Exact Search (accurate to second)	
19	Back up Mode	USB Device/Network	
20	Playback	Play, Pause, Stop, Rewind, Fast play, Slow Play, Next File, Previous File, Next Camera, Previous Camera, Full Screen, Repeat, Shuffle, Backup Selection, Digital Zoom	
21	Max User Account	128users	
22	Record Interval	1~120min(default:60min),Pre-record:1~30 sec, Post-record: 10~300 sec	
23	Ethernet	2RJ-4510/100/1000Mbpsself-adaptive Ethernet ports	
24	Interface Ports	Front panel: 2 × USB 2.0; Rear panel: 1 × USB 3.0,1 RS-232; 1 RS-485;	
25	Protocols	HTTP; HTTPS; TCP/IP; IPv4/IPv6; UPnP; SNMP; RTSP; UDP; SMTP; NTP; DHCP; DNS; IP Filter/PPPoE/DDNS; FTP/Alarm Server/IP Search; P2P/ONVIF (profile T/S/G)/CGI/SDK	
26	Power Supply	(without HDD) : $\leq 30 \text{ W}$.	
27	Power Consumption	<16.7W(without HDD)	
27	1 0 Wei Consumption	-10~+55°C/10~90%RH/86~106kpa	

	32Ch.4KNVR320mbpswith04SATAPORT				
Sr No	Features	Specifications	Compliance (Yes/No)	Remarksifany	
1	Processor	Quad-core embedded processor			
2	Operating System	Embedded LINUX			
3	Two-way Talk	1ChannelInput,2ChannelOutput,RCA			
4	User Interface	GUI			
5	Video Output	2HDMI,2VGA			
6	Video Resolution	HDMI1:3840×2160,1920×1080,1280× 1024,1280×720,1024×768,VGA1:1920 × 1080,1280×1024,1280×720,1024×768, HDMI2/VGA2:1920×1080			
7	Video Recording	Max320Mbps			
8	Video Display Split	1stscreen:1/4/8/9/16/25/36,2ndscreen: 1/4/8/9/16			
9	Video Compression	H.265+/H.265/H.264/H.264+/MPEG4			
10	Channel	32channel			
11	OSD	Camera title ,Time ,Camera lock ,Motion detection, Recording			

12	Motion Detection	MDZones:396(22×18).	•
13	Video Loss	supports	
14	Bandwidth Incoming	320Mbps	
15	Alarm Input	16 Channel	
16	Alarm Output	4 or better.	
17	Smart Phone	iPhone ,iPad, Android Phone	
18	Hard Disk	4SATAports,upto10TBEach,1eSATA port	
19	Trigger Events	Recording/PTZ, Tour/Alarm Out/Video Push/Email/Snapshot, Buzzer/ScreenTips	
20	Recording Mode	As per OEM's own internal parameters	
21	Search Mode	Time/Date ,Alarm ,MD and Exact Search (accurate to second)	
22	Backup Mode	USB Device/Network/e SATA Device	
23	Playback	Play, Pause, Stop, Rewind, Fast play, Slow Play, Next File, Previous File, Next Camera, Previous Camera, Full Screen, Repeat, Shuffle, Backup Selection, Digital Zoom	
24	Max User Account	128users	
25	Record Interval	1~120min(default:60min),Pre-record:1~30 sec, Post-record: 10~300 sec	
26	Ethernet	2RJ-45Ports(10/100/1000Mbps) Independent or Joint Working	
27	Interface Ports	Front panel: 2 × USB 2.0; Rear panel: 1 × USB 3.0, 1 RS232, 1 RS485	
28	Protocols	HTTP, HTTPS, TCP/IP, IPv4/IPv6, UPnP, SNMP/RTSP, UDP/ SMTP, NTP, DHCP, DNS, IP Filter/PPP oE/DDNS/FTP/Alarm Server/IP Search/ONVIF 2.4/ SDK/CGI	
29	Power Supply	Single,AC100~240V,50/60 Hz	
30	Power Consumption	(without HDD) : $\leq 30 \text{ W}$)	
31	Working Temp	-10~+55°C/10~90%RH/86~106kpa	

	10PortsSwitchwith8GigabitPoEPorts&2GigabitUplinkPorts,2SFPPorts				
Sr No	Features	Specifications	Compliance (Yes/No)	Remarksifany	
1	Switch Capacity	24GbpsFullduplex			
2	Uplink Ports	2x1000MbpsRJ45ports+2x1000Mbps SFP ports			
3	PoE Power Budget	96W			
4	Surge Protection	Common mode/RJ45 port: 4KV Differential mode/RJ45port:2KVCommonmode/Power board: 2K Differential mode/Power board: 2KV			
5	ESD	Airdischarge:8KVContactdischarge:6KV			
6	Ethernet Port Light	Green light off: Link is disconnected Green light on :Link is connected Green light flash: Data Transmitting			
7	Network Port	12			

8	Transmission Distance	0-100m/1000MbpsorPort7-8Max. 250m/10MbpsviaCat.5eormoreunder Extend mode	
9	PoE Ports	8,1000Mbps;RJ45ports;Max.30WOutput of Single PoE Port	
10	PoE Power Supply	1/2(+),3/6(-)	
11	PoE Standard	IEEE802.3af,IEEE802.3at	
12	Packet Forwarding Rate	1.488Mpps/port	
13	MAC Address List	2K	
14	Power Source	Input:100-240VAC,50/60Hz,Bult-inPower Supply	
15	Power Consumption	<5W	
16	Operating Temperature	-10°C~50°C	
17	Humidity	10%-95%,non-condensing	
18	Storage Temperature	-40°C~70°C	

	CAT6CABLE4PAIRUTP23AWGCABLE305mtr.Box			
Sr No	Features	Specifications	Compliance (Yes/No)	Remarksifany
1	Conductor	Solid Bare Electrolytic Grade Copper		
2	Insulation	Polyethylene(HDPE)		
3	Nominal Conductor Diameter	23/24*AWG		
4	Cross Filler	HDPE		
5	Pairing	Twisted into Two core		
6	Outer Sheath	PVC Sheath/LSZH		
7	Operating Temperature	-20to+60°C		
8	Storage Temperature	-20to+75°C		
9	Approximate OD	5.80mm		
10	Impedance	100±15%Ω		
11	Resistance Unbalance	5% Max		
12	Colour of Sheath	Grey(RAL-7035),Option Available		
13	Sequential Marking	Every Meter		
14	Packing	305Mtrs		

	CAT6CABLE4PAIRUTP23AWGCABLE305mtr.Box				
Sr No	Features	Specifications	Compliance (Yes/No)	Remarksifany	
1	Conductor	Solid Bare Electrolytic Grade Copper			
2	Insulation	Polyethylene(HDPE)			
3	Nominal Conductor Diameter	23AWG(0.555±0.015mm)			
4	Cross Filler	HDPE			
5	Pairing	Twisted into Two core			
6	Outer Sheath	PVC			
7	Operating Temperature	-20to+60°C			
8	Storage Temperature	-20to+75°C			
9	Approximate OD	9.30±0.50mm			
10	Impedance	100±15%Ω			
11	Resistance Unbalance	5% Max			

12	Sequential Marking	At Every Meter	_
13	Packing	305Mtrs	

6PortsSwitchwith4GigabitPoEPorts&2SFPGigabitUplinkPorts				
Sr No	Features	Specifications	Compliance (Yes/No)	Remarksifany
1	Switch Capacity	12Gbps(Non Blocking)		
2	Uplink Ports	2,1000Mbps,SFPPort,Transmission Distance: 0-100m		
3	PoE Power Budget	65W		
4	Anti-thunder Level	Powerboard:2KV;NetworkPort-Not supported		
5	ESD	n/a		
6	Ethernet Port Light	Powerboard:2KV;NetworkPort-Not supported		
7	Network Port	6		
8	Transmission Distance	Default & VLAN mode: 0-100m/1000Mbps, Extended mode(cat5oraboveUTP)Port1-2: 0- 100m/1000Mbps, Port 3-4: Max. 250m/10Mbps		
9	PoE Ports	4,100/1000MbpsRJ45ports,Port1support Max. 60W output, other ports Max. 30W output of Single PoE Port; Transmission distance:0~250meters		
10	PoE Power Supply	1/2(+),3/6(-)		
11	PoE Standard	IEEE802.3af,IEEE802.3at,IEEE802.3bt		
12	Packet Forwarding Rate	1.488Mbps/port		
13	MAC Address List	2K		
14	Power Source	Input:100-240VAC,50/60Hz,52VDC 1.25Abuilt-inpowersupply		
15	Power Consumption	<5W		
16	Operating Temperature	-20°C~50°C		
17	Humidity	10%-95%,non-condensing		
18	Storage Temperature	-20°C~50°C		

	WallMountRack2USize; with a crylic fiberglass door; lock nkey & PDU (3 sockets) (450 MM x 350 MM)				
Sr No	Specifications	Compliance (Yes/No)	Remarksifany		
1	Basic frame: CRCA(MSSHEET)0.6mmthick				
2	Construction-Welded				
3	Top & Bottom cover: cable entry cut-outs				
4	Front Door: Lockable with Lock & Key.				
5	PDU3Sockets,Included				
6	Standard finish: Powder coated.				
7	Dual-Tone Gray Color-fits in well with all indoor/outdoor aesthetics				

Wall Mount Rack 4U Size; with toughened glassdoor; Locknkey, with PDU3Socket (550MMx350MM)

Sr No	Specifications	Compliance (Yes/No)	Remarksifany
1	Width550mm&Depth350mm		
2	Basic frame: CRCA(MSSHEET)0.6mmthick		
3	Construction-Welded		
4	Top & Bottom cover :cable entry cut-outs		
5	Front Door: Lockable-Toughened glass with Lock &Key		
6	Toughened Glass used as an excellent thief deterrent		
7	PDU3Sockets(5amp)		
8	Standard finish :Powder coated		
9	Dual-Tone Gray Color-fits in well with all indoor/outdoor aesthetics		
10	Differentiat or Quality		
11	LoadBearingCapacity-15kg		

Wall	Wallmount6U450DWithFrontGlassDoorLock&Keytoughenedglass;cantileverTray(220mmwidth) 1 pc, PDU 5 amp(6 sockets) + cooling Fan 1 pc (550MM x 450MM)				
Sr No	Specifications	Compliance (Yes/No)	Remarks if any		
1	Wall MountRack6U.				
2	Basic frame: CRCA(MSSHEET).				
3	Construction: Welded.				
4	Cable Entry/ Exit provision at Top & Bottom with Rubber at Edges.				
5	Front Door: Toughened Glass with Lock & Key.				
6	Toughened Glass used as an excellent thief deterrent.				
7	19"VerticalMountingRAILwithClear"U"Marking.				
8	PowdercoatedColorRAL-7035.				
9	ConformstoDIN41494orequivalentISOStandards.				
10	Standard Accessories Available.				
11	Others Additional Accessories Optional.				
12	LoadBearingCapacity-30Kg.				

O	OutdoorRack2U350DWithFront Metal DoorLock&Key0.8mmCRCASheet(450MMx350MM)				
Sr No	Specifications	Compliance (Yes/No)	Remarksifany		
1	Basic frame: CRCA(MSSHEET)0.8mmthickness.				
2	Construction-Welded				
3	Front plain door with key lock and gasket.				
4	Cooling fans provision on Left and Right side.				
5	Plain top with extension on3sides (LH,RH&Front).				
6	Bottom with2nos.CableEntry/Exit cut-outs with rubber protection.				
7	Wall/Pole mount with brackets				
8	IP55 Rated (Dust proof ,Rust proof & Rain water protected).				
9	Standard Finish: Power CoatedRAL7035PP(LightGrey).				
10	Dimension:450x350x150mm				

86"4KInteractivePanel				
Sl.No.	Features	Specifications	Compliance (Yes/No)	Remarksif any
1	Screen Size	86inch(218.44Cm.)		
2	Aspect Ratio	16:09		
3	CPU	Quad-coreA55		
4	Resolution	Panelresolution:3840(H)×2160(V)		
5	Viewing Angle	178°(H)/178°(V)		
6	RAM&ROM	4GB&32GB		
7	Response Time	<10 ms		
8	Operating System	Android9		
9	Writing Mode	Finger+Pen		
10	Contrast Ratio	StaticContrast:1200:1;Dynamic Contrast: 6000:1		
11	Backlight	DLED		
12	Refresh Rate	60Hz		
13	Lifespan	50,000hours		
14	Wi-Fi	Dual-bandWi-Fi(2.4/5GHz)		
15	Wi-Fi Hotspot	Dual-band (2.4/5 GHz); supports enabling Hotspot and Wi-Fi at the same time		
16	Touch Technology Type	Infrared Touch Technology		
17	Touch Points	20		
18	Touch Resolution	<10 ms		
19	IrDA	1		
20	Number of Multi-user Writing Points	10		
21	Number of Continuous and Precise Writing	2		
22	Distortion	≤5%		
23	Front Button	1×powerbutton(right side)		
24	Ports	1 × RJ-45, 1 × Wi-Fi; 1 × Hotspot, 1 × RS-232,1×HDMIIN,1×3.5mm(Line OUT);3×USB3.0;1×MicroUSBport		
25	Light Sensor	1		
26	Number of Microphones	2		
27	Microphone Pick-up Distance	Far-fieldsoundpickup:6m-8m(19.69 ft-26.25 ft)		
28	Built-in Speaker	2		
29	Speaker Power	Fullfrequency:15W×2		
30	Echo Cancellation	Supported		
31	Noise Cancellation	Supported		
32	Polar Pattern	Omni directional		
33	Display Glass	Anti-dazzle tempered glass with a hardness of 7 on the Mohs scale		
34	Glass Thickness	3mm		
35	Operating Temperature	-10°Cto+45°C(+14°Fto+113°F)		
36	Storage Temperature	-20°Cto+55°C(-4°Fto+131 °F)		
37	Operating Humidity	10%–90%		
38	Storage Humidity	10%–90%		

 ${\tt SELECTIONOFAGENCYFORSUPPLY,INSTALLATION,INTEGRATIONANDCOMMISSIONING} \\ OF {\tt IPBASEDWIRELESSCCTVCAMERASANDSURVEILLANCESYSTEMATVARIOUSUNITS} \\ OF {\tt JTDCL} \\$

2023

39	Power Supply	100–240VAC,50/60Hz,4A	
40	Power Consumption	400W	
41	Standby Power Consumption	0.5W	
42	Frame Color(Front/Back)	Bottom :Silver ;top/left/right: black	
43	Casing	Metal	
44	Dimensions	Panel Dimensions: 86-inch, Product Dimensions:1,953mm×87mm×1,205 mm	

SERVER

Sl. No.	Features	Specifications	Compliance (Yes/No)	Remarksifany
1	Processors	Intel®Xeon®Processors3.0Ghz Quad-Core or Higher		
2	RAM	64GB		
3	Graphics Card/In build Graphics	32GB		
4	NIC	2X1GRJ45		
5	Operating System	Windows Server Latest		

SUMMARY OF SUPPLY, INSTALLATION, INTEGRATION AND COMMISSIONING OF IPBASED WIRELESSCCTV CAMERAS AND SURVEILLANCE SYSTEM ATVARIOUSUNITSOFJTDCL

	SUMMARY		
SN.	ItemDescription	UoM	Qty.
1	4MPFullHDWDRIRNetworkBulletCamera-50Mtr.	Nos.	32
2	2MPFullHDWDRIRVandalDomeCamera-30Mtr.	Nos.	61
3	16Ch.4KNVR320mbpswith04SATAPORT	Nos.	6
4	8Ch.4KNVR320mbpswith04SATAPORT	Nos.	5
5	4Ch.4KNVR320mbpswith04SATAPORT	Nos.	1
6	32Ch.4KNVR320mbpswith04SATAPORT	Nos.	1
7	HDD10TBSurveillance	Nos.	15
8	10PortsSwitchwith8GigabitPoEPorts&2GigabitUplinkPorts,2SFP Ports	Nos.	20
9	PVCBox(6-4or4-4)	Nos.	90
10	PVCPipe1inch(25mm)having03meterLength	Pcs	295
11	PVCBent1inch	Pcs	120
12	SHADDLE	Packet	51
13	FlexiblePipe	Mtrs	45
14	CAT6CABLE4PAIRUTP23AWGCABLE305mtr.Box	Nos.	14
15	RJ45Connectors(100pcs)01Pkt	Nos.	13
16	6PortsSwitchwith4GigabitPoEPorts&2SFPGigabitUplinkPorts	Nos.	13
17	WallMountRack2USize; with a crylic fiberglass door; lock nkey & PDU (3 sockets) (450MM x 350MM)	Nos.	19
18	WallMountRack4USize; withtoughenedglassdoor; Locknkey, with PDU3Socket (550MMx350MM)	Nos.	13
19	Wallmount6U450DWithFrontGlassDoorLock&Keytoughenedglass; cantileverTray(220mmwidth)1pc,PDU5amp(6sockets)+coolingFan 1pc(550MMx450MM)	Nos.	13
20	55"ProfessionalTVwithHDMIcable	Nos.	13
21	InternetConnectivity4GRouterWith5GSupports	Nos.	13
22	WIFIRouterminimumupto300Mbps	Nos.	13
23	UPS01KVAWITH60minutesbackup	Nos.	13
24	LayingofCAT6CablewithPVCpipe	Lot	13

Note:

- 1. Theabovespecificationsareminimumrequirements. The bidders shall offer equipments strictly meeting the above requirements or with better specifications.
- 2. All product brochures, technical documentation/specifications should be enclosed with the quotation and also specify the warranty period.
- 3. Anymaterialorequipmentnotspecifically stated in the specification but which are necessary for satisfactory operation shall deem to be included in the scope of supply.

- 4. All the products should be supplied with complete accessories required.
- 5. Alltheaboveproducts should be of reputed brand, ISI/CE/ISO/BIS certified and conformity with the Indian/ International Standards.
- 6. Dedicated/tollFreeTelephoneNo.forServiceSupport:BIDDER/OEMmusthaveDedicated/toll Free Telephone No. for Service Support.
- 7. Escalation Matrix for Service Support: Bidder/OEM must provide Escalation Matrix of Telephone numbers for Service Support.
- 8. Installation, configuration, Testing Commissioning and Training to be carried out by the bidder.
- 9. Terms of delivery: Free Delivery at Site including loading/unloading. In respect of items requiring installation and / or commissioning and other services in the scope of supply (as indicated in respective product category specification) and the cost of the same is also included in the Contract price.
- 10. Taxes and Duties: Contract Prices are all inclusive i.e., including all taxes, duties, local levies / transportation / loading-unloading charges etc. Break up of GST shall be indicated by the Seller while raising invoice / bill on GeM. While submitting the bill / invoice Seller shall undertake that the Goods and Services Tax (GST) charged on this bill is not more than what is payable under the provision on the relevant Act or the Rules made there under and that the Goods on which GST has been charged have not been exempted under the GST Act or the Rules made there under and the charges on account of GST on these goods are correct under the provision of that Act or the rules made there under.
- 11. Warranty:-Thereshouldbeonsitewarrantyof1yearfromthedateofinstallation.
- 12. NumberoflocationsandCameraslikelytobeincreasedordecreasedorchange without assigning any reason.
- 13. The work consists of supply, Installation, testing, commissioning of Closed Circuit Television (CCTV) system in accordance with the technical specifications, terms and conditions mentioned in RFP.
- 14. The specification of the equipment supplied should be equivalent or higher than the specifications mentioned in the tender document and the vendor should specify the brand/model/make in their technical offer.
- 15. The cameras installed should cover maximum area.
- 16. All product brochures, technical documentation/specifications of CCTV cameras, NVR and LED TV should be enclosed with the quotation.
- 17. If required, the bidder can be called for an on-site demo to evaluate the quality of recording and video file out puts of the quoted CCTV equipment before it is approved.
- 18. The successful vendor should complete the work within 45 days from the receipt of order and failure to commence the work within fifteen days, the Authority will forfeit the EMD/performance security. Apenalty of 0.5% amount of the total value of the order per day will be levied beyond 30 days.
- 19. The entire CCTV system supplied & installed should be under on-site warranty as specified against all types of defects from the date of handing over of the product to the Department. Any defects found in the product/sub-product within the warranty period shall be rectified / replaced by the Vendor free of cost. During this period of warranty, servicing at quarterly interval or earlier without any additional cost to the Authority besides attending to call back services in case of breakdown, as prescribed by the

- Manufacturer and as mutually agreed to ,shall be carried out free-of-cost. This includes replacement of all parts and spare parts and any number of break down call.
- 20. Please note that Authority will apply penalty as below in case of discrepancy in services under warranty period:
- 21. On receiving complaint about equipment/ services, the Vendor will promptly respond and repair/ replace or provide required services within 24 hours, if failed, penalty shall be levied Rs. 500/- per day;
- 22. If the CCTV system is down for more than three working days, then Authority will forfeit the performance security;
- 23. If Authority observes any unsatisfactory services after sales, discipline/ conduct ,delay in repair /maintenance, then Authority will forfeit the performance security and black list the company/firm.
- 24. Agency shall indemnify JTDCL/its agencies from any loss, damage or liability of property and life.
- 25. Agency must quote for all items as per RFP.

SECTION4:-FORMATSFORSUBMISSIONOFPROPOSAL

Appendix-I-Letter of Proposal

(OntheletterheadoftheBidder)

	Dated:
To	
The Managing Director	
Jharkhand Tourism Development Corporation Limited	
5, Mahatma Gandhi Marg, Ranchi,	
Jharkhand — 834001	
Dear Sir,	

Sub: PROPOSAL FOR"SELECTION OF AN AGENCY FOR SUPPLY, INSTALLATION, INTEGRATION AND COMMISSIONING OF IP BASED WIRELESS CCTV CAMERAS AND SURVEILLANCE SYSTEM AT VARIOUS UNITS OF JTDCL"

- 1 With reference to your RFP document dated//________, I/We, having examined the Bidding Documents and understood their contents, hereby submit my/our Proposal for the aforesaid Service. The Proposal is unconditional and unqualified.
- 2 Allinformationprovided in the Proposal and in the Appendices is true and correct.
- 3 I/We shall make available to JTDCL any additional information it may find necessary or require to supplement or authenticate the Bid.
- 4 I/WeacknowledgetherightofJTDCLtorejectourProposalwithoutassigningany reason or otherwise and hereby waive my/our right to challenge the same on any account whatsoever.
- 5 I/We understand that you may cancel the Selection Process at any time and that you are neither bound to accept any Proposal that you may receive nor to invite the Bidders to bid for the Services, without incurring any liability to the Bidders.
- 6 I/We hereby irrevocably waive any right which we may have at any stage at law or howsoever otherwise arising to challenge or question any decision taken by JTDCL in connection with the selection of the Bidder, or in connection with the Selection Process itself, in respect of the above mentioned activities and the terms and implementation thereof.
- 7 I/WeofferaEMDofRs.1,00,000/-(OneLakhonly)toJTDCLinaccordancewiththe RFP Document.
- 8 I/We agree and understand that the Proposal is subject to the provisions of the Bidding Documents. In no case, I/We shall have any claim or right of whatsoever nature if the activities/ Right is not awarded to me/us or our Proposal is not opened.
- 9 I/We agree to keep this offer valid for 180 (One Hundred and Eighty) days from the Proposal Due Date specified in the RFP.
 - 10 I/We agree and undertake that the authorised signatory in Appendix- VI shall represent the company in all matters pertaining to the Selection Process. Nothird person, consultant, agency shall represent the company in all matters pertaining to the selection process.

 ${\tt SELECTIONOFAGENCYFORSUPPLY,INSTALLATION,INTEGRATIONANDCOMMISSIONING} \\ OF {\tt IPBASEDWIRELESSCCTVCAMERASANDSURVEILLANCESYSTEMATVARIOUSUNITS} \\ OF {\tt JTDCL} \\$

2023

- 11 I/We agree and undertake to abide by all the terms and conditions of the BiddingDocument.
- 12. In witness thereof, I/we submit this Proposal under and in accordance with the terms of the RFP document.

	Yours faithfully,
Date:	(Signature of the Authorised signatory)
Place:	(Name and designation of the of the Authorised signatory)
	Name and seal of Bidder

Appendix-II-Details of Bidder

(On the letter head of the Bidder)

- 1. (a)Name:
 - Place of incorporation:
 - Address of the corporate headquarters and its branch office(s), if any, in India:
 - Date of incorporation and/ or commencement of business:
- 2. Brief description of the Company including details of its main lines of business and proposed role and responsibilities for providing the Service
- 3. Details of the Authorised Signatory of the Bidder:
 - (a) Name:
 - (b) Designation:
 - (c) Company:
 - (d) Address:
 - (e) Telephone Number:
 - (f) E-Mail Address:
 - (g) Fax Number:

Note:

The Bidder must submit the following document to establish the legal status along with this Form:

- a. In case of a company, copy of the Certificate of Incorporation, Copy of Memorandum and Articles of Association of the Bidder.
- b. In case of a sole proprietorship firm or a Limited Liability Partnership firm, it should furnish copy of the registration certificate ,GST,PANand ITreturns for the last three financial years preceding the Proposal Due Date as a proof of identity.
- c. Copy of the Bidder's duly audited financial Statement for the preceding 3(three) Financial Years.

Appendix-III-FinancialCapacity

Sl.No.	FinancialYears	AnnualTurnover(Rs.)
1	2020-21	
2	2021-22	
3	2022-23	
	AverageTurnover	

Certificate from the statutory Auditor

Date:

(Signature, name and designation of the authorized signatory)

Name and seal of the audit firm

(Supporting financial statements and relevant documents are to be furnished.)

Appendix-IV-Experience of the Bidder

(On the letter head of the Bidder)

Sl.No.	Particulars	Description
1	Name of the Organization	
2	Address of the contact details of Organization	
3	Details of Work Experience (FY 2020-21, 2021-22 and 2022-23).	
	Sl.No01	
	Name of client	
	Detail Description of Project	
	Duration of Assignment	
	Value of Assignment	
	S1.No02	
	Name of client	
	Detail Description of Project	
	Duration of Assignment	
	Value of Assignment	
	(Project details to be furnished in similar Format) Separate sheets may be added)	

Name of the Bidder
Signature of the Authorised Person
Name of the Authorized Person

Appendix-V-Self Declaration

(Should not have been blacklisted)

(On the letter head of the Bidder)

I/We agree that the decision of the Authority in relation to RFP for SELECTION OF AN AGENCY FOR SUPPLY, INSTALLATION, INTEGRATION AND COMMISSIONING OF IP BASED WIRELESS CCTV CAMERAS AND SURVEILLANCE SYSTEMAT VARIOUS UNITS OF

JTDCL", addition or deletion will be final and binding to me / us. I / We confirm that we have not been blacklisted by Central or State Governments& PSUs.

NameoftheBidder
Signature of the Authorised Person
Name of the Authorized Person

Appendix-VI-Format for Power of Attorney for Signing of Proposal

(On Stamp paper of relevant value) Know all men by these presents, We, (name of the firm and address of the registered office) do hereby irrevocably constitute, nominate, appoint and authorise Mr. / Ms (Name), son/daughter/wife of and presently residing at _,who is[presently employed withus and holding the position of _], as our true and lawful attorney (hereinafter referred to as the "Attorney") to do in our name and on our behalf, all such acts, deeds and things as are necessary or required in connection with or incidental to submission of our Proposal for "SELECTIONOFAN AGENCY FOR SUPPLY, INSTALLATION, INTEGRATION AND COMMISSIONING OF IP BASED WIRELESS CCTV CAMERAS AND SURVEILLANCE SYSTEM AT VARIOUS UNITS OF JTDCL", proposed by the Jharkhand Tourism Development Corporation Limited ,Government of Jharkhand(the"JTDCL")including but not limited to signing and submission of all applications, proposals, bids and other documents and writings, participate in Bidders' and other conferences and providing information /responses to JTDCL, representing us in all matters before JTDCL, signing and execution of all contracts and undertakingsconsequenttoacceptanceofourProposal,andgenerallydealingJTDCLinallmattersin connection with or relating to or arising out of our Proposal and/or upon award thereof to us. AND we hereby agree to ratify and confirm and do hereby ratify and confirm all acts, deeds and things lawfully done or caused to be done by our said Attorney pursuant to and in exercise of the powers conferred by this Power of Attorney and that all acts, deeds and things done by our said Attorney in exercise of the powers hereby conferred shall and shall always be deemed to have been done by us. IN WITNESS WHEREOF WE, THE ABOVE NAMED PRINCIPAL HAVE EXECUTED THIS POWER OF ATTORNEY ON THIS______DAYOF______, 20**. For (Signature) Witnesses: (Name, Title and Address) 1 2 Accepted [Notarised] (Signature) (Name, Title and Address of the Attorney) Notes:

- The mode of execution of the Power of Attorney should be in accordance with the procedure, if any, laid down by the applicable law and the charter documents of the executant(s) and when it is so required, the same should be under common seal affixed in accordance with the required procedure.
- Also, wherever required, the Bidder should submit for verification the extract of the charter documents and documents such as a resolution/power of attorney in favour of the person executing this Power of Attorney for the delegation of power hereunder on behalf of the Bidder.

Appendix-VII-Format for Financial Proposal

(On the Letter head of the Bidder)

Date:
To,
The Managing Director
Jharkhand Tourism Development Corporation Limited
5, Mahatma Gandhi Marg,
Ranchi,Jharkhand–834001

Dear Sir,

Sub:BID FOR SELECTION OF AN AGENCY FOR SUPPLY, INSTALLATION, INTEGRATIONANDCOMMISSIONINGOFIPBASEDWIRELESSCCTVCAMERAS AND SURVEILLANCE SYSTEM AT VARIOUS UNITS OF JTDCL.

- We are pleased to quote our Service Fee offered for "SUPPLY, INSTALLATION, INTEGRATION AND COMMISSIONING OF IP BASED WIRELESS CCTV CAMERAS AND SURVEILLANCESYSTEMATVARIOUSUNITSOFJTDCL" ofRupees

 [Rupees_____Only] (exclusive of GST) for all locations(The "Service Fee") and Annual Maintenance fees of [RupeesOnly] (exclusive of GST) for all locations to the project specified in Annexure I for the above mentioned Assignment.
- 2. Above cost shall include Supply, installation, testing, integration, transportation and commissioning of wireless CCTV cameras and surveillance system as per Annexure-I (Scope of work). Warranty Period will be one year.
- 3. The bidder shall pay applicable GST over and above of the **Service Fee** extra to the Authority
- 4. I/ We confirm and agree that we have reviewed all the terms and conditions of the Request for Proposal and confirm that we would abide by all the terms and conditions. We hereby declare that there shall be no deviations from the stated terms in the RFP.
- 5. I/ we agree that my/our Financial Proposal shall remain valid for a period of 180 (One hundred and Eighty) days from the Proposal Due Date prescribed for submission of Proposal.
- 6. I / we confirm that our Financial Proposal is unconditional and that we accept all terms and conditions specified in the RFP.
- 7. I / we agree to be bound by this offer if we are the Selected Agency for the said Assignment.
- 8. We further certify that we shall follow the Scope of Services, without any deviations, enumerated in this RFP, if the Assignment is awarded to us.

Note: Total ServiceFee/CostandAnnualMaintenanceFeeswillbeusedforfinancialcalculation.

Sincerely,
Name of the Bidder
Signature of the Authorised Person
Name of the Authorized Person
RFP-CCTVCAMERA

Appendix-VII-AFormatforRate

(OntheLetterheadoftheBidder)

SN.	ItemDescription	UoM	Rate/unit(Rs)
1	4MPFullHDWDRIRNetworkBulletCamera-50Mtr.	Nos.	
2	2MPFullHDWDRIRVandalDomeCamera-30Mtr.	Nos.	
3	16Ch.4KNVR320mbpswith04SATAPORT	Nos.	
4	32Ch.4KNVR320mbpswith04SATAPORT	Nos.	
5	HDD10TBSurveillance	Nos.	
6	10PortsSwitchwith8GigabitPoEPorts&2GigabitUplinkPorts,2 SFP Ports	Nos.	
7	PVCBox(6-4or4-4)	Nos.	
8	PVCPipe1inch(25mm)having03meterLenth	Pcs.	
9	PVCBent1inch	Pcs.	
10	SHADDLE	Packet	
11	FlexiblePipe	Mtrs	
12	CAT6CABLE4PAIRUTP23AWGCABLE305mtr.Box	Nos.	
13	RJ45Connectors(100pcs)01Pkt	Nos.	
14	6PortsSwitchwith4GigabitPoEPorts&2SFPGigabitUplink Ports	Nos.	
15	WallMountRack2USize;withacrylicfiberglassdoor;locknkey & PDU (3 sockets) (450MM x 350MM)	Nos.	
16	WallMountRack4USize; withtoughenedglassdoor; Locknkey, with PDU 3 Socket (550MM x 350MM)	Nos.	
17	Wallmount6U450DWithFrontGlassDoorLock&Keytoughened glass;cantileverTray(220mmwidth)1pc,PDU5amp(6sockets)+ cooling Fan 1 pc (550MM x 450MM)	Nos.	
18	55"ProfessionalTVwithHDMIcable	Nos.	
19	InternetConnectivity4GRouterWith5GSupports	Nos.	
20	WIFIRouterminimumupto300Mbps	Nos.	
21	UPS01KVAWITH60minutesbackup	Nos.	
22	LayingofCAT6CablewithPVCpipe	Lot	